ELSEVIER

Journal of Magnetism and Magnetic Materials 212 (2000) 402–404

Journal of magnetism and magnetic materials

www.elsevier.com/locate/jmmm

Author index to volume 212

Abe, S., see Samata, H. 355
Aktaa, J. and A. von der Weth, A new differential equations-based model for nonlinear history-dependent magnetic behaviour 267
Albertini, F., see Paoluzi, A. 183
Ali, N., see Galkin, V.Yu. L1
Aly, S.H., see Yehia, S. 195
Aning, A., see Seifu, D. 178
Aoki, K., see Li, X.G. 145
Asahi, T., M. Ikeda, A. Takizawa, T. Onoue and T. Osaka, Influence of substrates on magnetic property and crystalline orientation of CoCrTa/TiCr perpendicular magnetic recording medium 293
Ashfaq, A., M. Matsuura and M. Sakurai, XAFS study of Zr site preference for $Nd_{16}Fe_{75.5}Zr_{0.5}B_8$ in disproportionated, partially/fully recombined states of HDDR process 368
Atherton, D.L., see Mandal, K. 231

Baberschke, K., see Poulopoulos, P. 17
Baberschke, K., see Farle, M. 301
Bai, J., see Liu, X. 273
Barghout, K., see Hamdeh, H.H. 112
Bärwinkel, K., H.-J. Schmidt and J. Schnack, Structure and relevant dimension of the Heisenberg model and applications to spin rings 240
Baszyński, J., see Kowalczyk, A. 107
Beckmann, M., see Bührer, C. 211
Berling, D., P. Bertoncini, M.C. Hanf, A. Mehdaoui, C. Pirri, P. Wetzel, G. Gewinner and B. Loegel, Magnetic properties in epitaxial binary iron and ternary iron–cobalt silicide thin films grown on Si(1 1 1) 323
Bertoncini, P., see Berling, D. 323
Bombik, A., see Paradowski, M.L. 381
Bonino, O., P. De Rango and R. Tournier, ⟨1 1 0⟩ Directional growth of polycrystalline magnetostrictive $Tb_xDy_{1-x}Fe_y$ compounds by casting in a strong unidirectional gradient 225
Bovensiepen, U., see Poulopoulos, P. 17
Bremers, H., see Hesse, J. 153
Bührer, C., M. Beckmann, M. Fähnle, U. Grünewald and K. Maier, The liquid ferromagnet $Co_{80}Pd_{20}$ and its critical exponent γ 211

Celotta, R.J., see Tulchinsky, D.A. 91
Chaudhuri, J., see Hamdeh, H.H. 112
Chen, D.-X., see Garcia-Miquel, H. 101
Chen, D.-X., Y.-F. Li, L. Pascual, M. Vazquez and A. Hernando, Hysteresis loop shift in annealed FeCrSiB amorphous wires 373
Cochran, J.F., Brillouin light scattering intensities for patterned magnetic thin films 40
Cramer, Th., see Mandal, K. 231

De Jesus, V.L.B., I.S. Oliveira, P.C. Riedi and A.P. Guimarães, ^{155,157}Gd NMR study of Gd–Ni intermetallic compounds 125
De Rango, P., see Bonino, O. 225
Delaplane, R.G., see Edström, K. 347
Diep, H.T., see Santamaria, C. 23
Ding, H.F., S. Pütter, H.P. Oepen and J. Kirschner, Experimental method for separating longitudinal and polar Kerr signals L5
Dittschar, A., W. Kuch, M. Zharnikov and C.M. Schneider, Interrelation of morphology, structure, and magnetism in Fe_xCo_{1-x}/Cu(1 0 0) epitaxial alloy films 307

Edström, K., S. Ito and R.G. Delaplane, The crystal and magnetic structure of nonstoichiometric K^+ β-ferrite 347

Fähnle, M., see Bührer, C. 211
Farle, M., see Poulopoulos, P. 17
Farle, M., J. Lindner and K. Baberschke, Ferromagnetic resonance of Ni(1 1 1) on Re(0 0 0 1) 301
Fawcett, E., see Galkin, V.Yu. L1
Fritscher, E.W., see Hesse, J. 153
Fritzsche, H., see Nawrath, T. 337
Fujimori, H., see Nagura, H. 53
Fujimori, H., see Yakushiji, K. 75

Galkin, V.Yu., E. Fawcett, N. Ali and W.A. Ortiz, Anomalous behavior of spin-glass CrMn alloys L1
García-Miquel, H., D.-X. Chen and M. Vázquez, Domain wall propagation in bistable amorphous wires 101
Gewinner, G., see Berling, D. 323
Gouvêa, M.E., see Pires, A.S.T. 251

0304-8853/00/$ - see front matter © 2000 Elsevier Science B.V. All rights reserved.
PII: S0304-8853(00)00028-7

ELSEVIER

Journal of Magnetism and Magnetic Materials 212 (2000) 402–404

Journal of magnetism and magnetic materials

www.elsevier.com/locate/jmmm

Author index to volume 212

Abe, S., see Samata, H. 355
Aktaa, J. and A. von der Weth, A new differential equations-based model for nonlinear history-dependent magnetic behaviour 267
Albertini, F., see Paoluzi, A. 183
Ali, N., see Galkin, V.Yu. L1
Aly, S.H., see Yehia, S. 195
Aning, A., see Seifu, D. 178
Aoki, K., see Li, X.G. 145
Asahi, T., M. Ikeda, A. Takizawa, T. Onoue and T. Osaka, Influence of substrates on magnetic property and crystalline orientation of CoCrTa/TiCr perpendicular magnetic recording medium 293
Ashfaq, A., M. Matsuura and M. Sakurai, XAFS study of Zr site preference for $Nd_{16}Fe_{75.5}Zr_{0.5}B_8$ in disproportionated, partially/fully recombined states of HDDR process 368
Atherton, D.L., see Mandal, K. 231

Baberschke, K., see Poulopoulos, P. 17
Baberschke, K., see Farle, M. 301
Bai, J., see Liu, X. 273
Barghout, K., see Hamdeh, H.H. 112
Bärwinkel, K., H.-J. Schmidt and J. Schnack, Structure and relevant dimension of the Heisenberg model and applications to spin rings 240
Baszyński, J., see Kowalczyk, A. 107
Beckmann, M., see Bührer, C. 211
Berling, D., P. Bertoncini, M.C. Hanf, A. Mehdaoui, C. Pirri, P. Wetzel, G. Gewinner and B. Loegel, Magnetic properties in epitaxial binary iron and ternary iron–cobalt silicide thin films grown on Si(1 1 1) 323
Bertoncini, P., see Berling, D. 323
Bombik, A., see Paradowski, M.L. 381
Bonino, O., P. De Rango and R. Tournier, ⟨1 1 0⟩ Directional growth of polycrystalline magnetostrictive $Tb_xDy_{1-x}Fe_y$ compounds by casting in a strong unidirectional gradient 225
Bovensiepen, U., see Poulopoulos, P. 17
Bremers, H., see Hesse, J. 153
Bührer, C., M. Beckmann, M. Fähnle, U. Grünewald and K. Maier, The liquid ferromagnet $Co_{80}Pd_{20}$ and its critical exponent γ 211

Celotta, R.J., see Tulchinsky, D.A. 91
Chaudhuri, J., see Hamdeh, H.H. 112
Chen, D.-X., see Garcia-Miquel, H. 101
Chen, D.-X., Y.-F. Li, L. Pascual, M. Vazquez and A. Hernando, Hysteresis loop shift in annealed FeCrSiB amorphous wires 373
Cochran, J.F., Brillouin light scattering intensities for patterned magnetic thin films 40
Cramer, Th., see Mandal, K. 231

De Jesus, V.L.B., I.S. Oliveira, P.C. Riedi and A.P. Guimarães, ^{155,157}Gd NMR study of Gd–Ni intermetallic compounds 125
De Rango, P., see Bonino, O. 225
Delaplane, R.G., see Edström, K. 347
Diep, H.T., see Santamaria, C. 23
Ding, H.F., S. Pütter, H.P. Oepen and J. Kirschner, Experimental method for separating longitudinal and polar Kerr signals L5
Dittschar, A., W. Kuch, M. Zharnikov and C.M. Schneider, Interrelation of morphology, structure, and magnetism in Fe_xCo_{1-x}/Cu(1 0 0) epitaxial alloy films 307

Edström, K., S. Ito and R.G. Delaplane, The crystal and magnetic structure of nonstoichiometric K^+ β-ferrite 347

Fähnle, M., see Bührer, C. 211
Farle, M., see Poulopoulos, P. 17
Farle, M., J. Lindner and K. Baberschke, Ferromagnetic resonance of Ni(1 1 1) on Re(0 0 0 1) 301
Fawcett, E., see Galkin, V.Yu. L1
Fritscher, E.W., see Hesse, J. 153
Fritzsche, H., see Nawrath, T. 337
Fujimori, H., see Nagura, H. 53
Fujimori, H., see Yakushiji, K. 75

Galkin, V.Yu., E. Fawcett, N. Ali and W.A. Ortiz, Anomalous behavior of spin-glass CrMn alloys L1
García-Miquel, H., D.-X. Chen and M. Vázquez, Domain wall propagation in bistable amorphous wires 101
Gewinner, G., see Berling, D. 323
Gouvêa, M.E., see Pires, A.S.T. 251

0304-8853/00/$ - see front matter © 2000 Elsevier Science B.V. All rights reserved.
PII: S0304-8853(00)00028-7

Grünewald, U., see Bührer, C. 211
Guimarães, A.P., see de Jesus, V.L.B. 125

Ha, J.-G., see Yakushiji, K. 75
Hadjipanayis, G.C., see Tang, W. 138
Hamdeh, H.H., K. Barghout, J.C. Ho, R.J. Willey, M.J. O'Shea and J. Chaudhuri, Structural and magnetic characterization of aerogel-produced $Ge_{0.5}Fe_{2.5}O_y$ nanoparticles 112
Hammond, E., see Seifu, D. 178
Hanf, M.C., see Berling, D. 323
Hauck, J. and K. Mika, Magnetic ordering 389
Hernando, A., see Chen, D.-X. 373
Hesse, J., H. Bremers, O. Hupe, M. Veith, E.W. Fritscher and K. Valtchev, Different susceptibilities of nanosized single-domain particles derived from magnetisation measurements 153
Hillebrecht, F.U., T. Kinoshita, Ch. Roth, H.B. Rose and E. Kisker, Spin-resolved Fe and Co 3s photoemission 201
Hirko, R.J., see Potanin, A.A. 277
Ho, J.C., see Hamdeh, H.H. 112
Hoffman, E., see Seifu, D. 178
Hupe, O., see Hesse, J. 153
Hwang, Y.S., see Yang, C.J. 168

Ikeda, M., see Asahi, T. 293
Ishio, S., see Tomino, S. 69
Ito, S., see Edström, K. 347

Ji, T., H. Shi, J. Zhao and Y. Zhao, Synthesis of Co–B/resin nanoparticles and heat treatment effect on their magnetic properties 189
Jiang, H. and M.J. O'Shea, Structure and magnetic properties of NdFeB thin films with Cr, Mo, Nb, Ta, Ti, and V buffer layers 59

Kebede, A., see Seifu, D. 178
Kim, E.C., see Yang, C.J. 168
Kinoshita, T., see Hillebrecht, F.U. 201
Kirschner, J., see Ding, H.F. L5
Kisker, E., see Hillebrecht, F.U. 201
Korczak, S.Z., see Paradowski, M.L. 381
Korczak, W., see Paradowski, M.L. 381
Kowalczyk, A., A. Ślebarski, A. Szajek, J. Baszyński and A. Winiarski, X-ray photoemission spectra of $La_{0.7}Sr_{0.3}MnO_3$ perovskite 107
Kuch, W., see Dittschar, A. 307

Li, X.G., M. Sato, S. Takahashi, K. Aoki and T. Masumoto, Magnetic properties of Gd_2Al compound in amorphous, crystalline and nitrided states 145
Li, Y.-F., see Chen, D.-X. 373
Lindner, J., see Farle, M. 301
Liu, N.-N., see Wang, X.-G. 121
Liu, S.H., Itinerant ferromagnetism in the narrow band limit 259
Liu, X., J. Bai, F. Wei, Z. Yang, A. Morisako and M. Matsumoto, Barium ferrite thin films prepared by alternate deposition 273
Loegel, B., see Berling, D. 323

Maier, K., see Bührer, C. 211
Maletta, H., see Nawrath, T. 337
Mandal, K., Th. Cramer and D.L. Atherton, The study of a racetrack-shaped defect in ferromagnetic steel by magnetic Barkhausen noise and flux leakage measurements 231
Masumoto, T., see Li, X.G. 145
Matsumoto, M., see Piramanayagam, S.N. L12
Matsumoto, M., see Liu, X. 273
Matsuura, M., see Ashfaq, A. 368
Mehdaoui, A., see Berling, D. 323
Mika, K., see Hauck, J. 389
Mitani, S., see Yakushiji, K. 75
Morisako, A., see Piramanayagam, S.N. L12
Morisako, A., see Liu, X. 273

Nagata, Y., see Samata, H. 355
Nagura, H., K. Saito, K. Takanashi and H. Fujimori, Influence of third elements on the anisotropic magnetoresistance in permalloy films 53
Nawrath, T., H. Fritzsche and H. Maletta, Magnetization of thin Fe films on V(1 1 0) and Cr(1 1 0) 337

O'Shea, M.J., see Jiang, H. 59
O'Shea, M.J., see Hamdeh, H.H. 112
Oepen, H.P., see Ding, H.F. L5
Oliveira, I.S., see de Jesus, V.L.B. 125
Oliver, F.W., see Seifu, D. 178
Onoue, T., see Asahi, T. 293
Ortiz, W.A., see Galkin, V.Yu. L1
Osaka, T., see Asahi, T. 293

Pacyna, A.W., see Paradowski, M.L. 381
Pan, S.-H., see Wang, X.-G. 121
Paoluzi, A., F. Albertini and L. Pareti, Comparison among the second-order anisotropy constants of RE (Pr, Nd, Sm) and Fe sublattices in the RE_2Fe_1- rhombohedral structure. Effects of Ti substitution for Fe 183
Paradowski, M.L., A.W. Pacyna, A. Bombik, W. Korczak and S.Z. Korczak, Magnetic susceptibility of $La_xCe_{1-x}F_3$ single crystals 381
Pareti, L., see Paoluzi, A. 183
Park, E.B., see Yang, C.J. 168
Pascual, L., see Chen, D.-X. 373
Piramanayagam, S.N., M. Matsumoto and A. Morisako, Thickness dependence of magnetic properties of NdFeB thin films with perpendicular magnetic anisotropy L12
Pires, A.S.T. and M.E. Gouvêa, Dynamics of the one-dimensional quantum antiferromagnet with Dzyaloshinski–Moriya interactions 251
Pirri, C., see Berling, D. 323

Potanin, A.A., G. Reynolds and R. J. Hirko, Modeling of particles orientation in magnetic field in drying magnetic coatings 277
Poulopoulos, P., U. Bovensiepen, M. Farle and K. Baberschke, AC susceptibility: a sensitive probe of interlayer coupling 17
Pütter, S., see Ding, H.F. L5

Reynolds, G., see Potanin, A.A. 277
Riedi, P.C., see de Jesus, V.L.B. 125
Rose, H.B., see Hillebrecht, F.U. 201
Roth, Ch., see Hillebrecht, F.U. 201
Ruan, S., B. Xu, H. Suo, F. Wu, S. Xiang and M. Zhao, Microwave absorptive behavior of ZnCo-substituted W-type Ba hexaferrite nanocrystalline composite material 175

Saito, H., see Tomino, S. 69
Saito, K., see Nagura, H. 53
Sakurai, M., see Ashfaq, A. 368
Samata, H., Y. Nagata, T. Uchida and S. Abe, New optical technique for bulk magnetostriction measurement 355
Santamaria, C. and H.T. Diep, Dipolar interactions in magnetic thin films: perpendicular to in-plane ordering transition 23
Sato, M., see Li, X.G. 145
Schmidt, H.-J., see Bärwinkel, K. 240
Schnack, J., see Bärwinkel, K. 240
Schneider, C.M., see Dittschar, A. 307
Seehra, M.S., see Seifu, D. 178
Seifu, D., A. Kebede, F.W. Oliver, E. Hoffman, E. Hammond, C. Wynter, A. Aning, L. Takacs, I.-L. Siu, J.C. Walker, G. Tessema and M.S. Seehra, Evidence of ferrimagnetic ordering in $FeMnO_3$ produced by mechanical alloying 178
Shi, H., see Ji, T. 189
Siu, I.-L., see Seifu, D. 178
Ślebarski, A., see Kowalczyk, A. 107
Suo, H., see Ruan, S. 175
Suwas, S., see Verma, H.C. 361
Szajek, A., see Kowalczyk, A. 107

Takacs, L., see Seifu, D. 178
Takahashi, S., see Li, X.G. 145
Takanashi, K., see Nagura, H. 53
Takanashi, K., see Yakushiji, K. 75
Takizawa, A., see Asahi, T. 293
Tang, W., Y. Zhang and G.C. Hadjipanayis, High-temperature magnetic properties of $Sm(Co_{bal}Fe_{0.1}Cu_{0.088}Zr_x)_{8.5}$ magnets 138
Tessema, G., see Seifu, D. 178
Tilley, D.R., see Zhou, X.-F. 82
Tomino, S., H. Saito and S. Ishio, Ferromagnetic dot formation in nonmagnetic amorphous FeZr films by non-contact atomic force microscope 69
Tournier, R., see Bonino, O. 225

Tulchinsky, D.A., J. Unguris and R.J. Celotta, Growth and magnetic oscillatory exchange coupling of Mn/Fe(0 0 1) and Fe/Mn/Fe(0 0 1) 91

Uchida, T., see Samata, H. 355
Unguris, J., see Tulchinsky, D.A. 91

Valtchev, K., see Hesse, J. 153
Vázquez, M., see García-Miquel, H. 101
Vazquez, M., see Chen, D.-X. 373
Veith, M., see Hesse, J. 153
Verma, H.C. and S. Suwas, Mössbauer studies of phase stability in mechanically stressed Fe–28 at% Al alloy 361
Von der Weth, A., see Aktaa, J. 267

Walker, J.C., see Seifu, D. 178
Wang, J.-J., see Zhou, X.-F. 82
Wang, X.-G., N.-N. Liu, S.-H. Pan and G.-Z. Yang, Curie temperature for an alternating magnetic superlattice 121
Wang, X.-Z., see Zhou, X.-F. 82
Wei, F., see Liu, X. 273
Wetzel, P., see Berling, D. 323
Wiatrowski, G., Compensation effect and interface delocalization of tricritical phenomenon in antiferromagnetically coupled bilayer system $A(n_A)/B(n_B)(S_A = \frac{1}{2}$ and $S_B = 1)$ 29
Willey, R.J., see Hamdeh, H.H. 112
Winiarski, A., see Kowalczyk, A. 107
Wu, F., see Ruan, S. 175
Wynter, C., see Seifu, D. 178

Xiang, S., see Ruan, S. 175
Xu, B., see Ruan, S. 175

Yakushiji, K., S. Mitani, K. Takanashi, J.-G. Ha and H. Fujimori, Composition dependence of particle size distribution and giant magnetoresistance in Co–Al–O granular films 75
Yang, C.J., E.B. Park, Y.S. Hwang and E.C. Kim, The effect of Co on the enhanced magnetic properties of $Fe_3B/Nd_2Fe_{14}B$ magnets 168
Yang, G.-Z., see Wang, X.-G. 121
Yang, Z., see Liu, X. 273
Yehia, S. and S.H. Aly, Magnetic anisotropy and spin reorientation in $Nd_2Fe_{14}B$ 195

Zhang, Y., see Tang, W. 138
Zhao, J., see Ji, T. 189
Zhao, M., see Ruan, S. 175
Zhao, Y., see Ji, T. 189
Zharnikov, M., see Dittschar, A. 307
Zhou, X.-F., J.-J. Wang, X.-Z. Wang and D.R. Tilley, Reflection and transmission by magnetic multilayers 82

ELSEVIER

Journal of Magnetism and Magnetic Materials 212 (2000) 405–406

Journal of magnetism and magnetic materials

www.elsevier.com/locate/jmmm

Subject index to volume 212

AFM 69
Alloys L1, 178, 225, 307
Alternate deposition 273
Amorphous 145
Amorphous wires 101, 373
Anisotropic magnetoresistance (AMR) 53
Anisotropy 195
Anisotropy constants 183
Antiferromagnetic heterostructures 29
Atomic force microscope 69

β-ferrite 347
Barium ferrite films 273
Barium hexaferrite 175
Breakdon of air 69
Brillouin light scattering 40
Bulk magnetostriction 355

c-axis orientation L12
Cobalt 211
Coercivity 59
Composite 175, 189
Core level spectroscopy 201
Coulomb blockade 75
Critical exponent 211
Critical point phenomena 29
Crystallization 168
Curie temperature 121, 301

Diagonalization 240
Dipolar interactions 23
Directional growth 225
Domain walls 101
Dzyaloshinski–Moriya interactions 251

Effect of kind of substrate 293
Effective exponent 211
Effective magnetic moment 381
Electron tunneling 69
Electronic conductor 347
Electronic structure 107
Energy product 59
Exchange coupling 91, 168

Fe whisker 91
Ferrimagnet 178
Ferrite 112
Ferromagnetic dots 69
Ferromagnetic resonance 301
Field-induced magnetic transition 145

g-factor 381
Giant magnetoresistance 75

HDDR 368
Heat treatment 189
Heisenberg model 240
Heisenberg spin model 23
High sensitivity 355
High-resolution transmission electron microscopy 75
High-temperature magnets 138
History effects 267
Hyperfine fields - magnetic 125
Hysteresis loop shift 373

Insulating granular system 75
Interactions between magnetic moments 389
Interlayer exchange coupling 17
Intermetallic compounds 125
Ionic conductor 347
Iron alluminides 361
Iron rich ferromagnets 183
Iron silicide 323
Itinerant ferromagnetism 259

Kerr effect L5

Langevin function 75
Liquid ferromagnet 211
Log-normal distribution function 75

Magnetic anisotropy 29, 301, 368
Magnetic Barkhausen noise 231
Magnetic behaviour 267
Magnetic coatings 277
Magnetic data storage 153
Magnetic flux leakage 231
Magnetic heat capacity 195
Magnetic hysteresis L5
Magnetic inclusion effect 373
Magnetic moments 201
Magnetic monolayers 301
Magnetic multilayers 17, 2
Magnetic properties 145, 189, 323
Magnetic recording L12, 273
Magnetic relaxation 301
Magnetic structure 347
Magnetic superlattices 121
Magnetic susceptibility 17, 381
Magnetization L1, 112, 337
Magneto-optical effect L5
Magneto-optical Kerr effect 323, 337
Magnetocrystalline anisotropy 183
Magnetostrition 225
Magnetostriction measurement 355
Magnon states 240
Material law 267
Mean field approximation 195
Mechanical alloying 178
Mechanically driven transformations 361
Microstructure and high-temperature magnetic properties 138
Microwave absorption 175
Modeling 277
Monte Carlo simulations 23
Mössbauer 112, 178
Mössbauer spectroscopy 361

Nanocomposite 168
Nanocrystalline 175
Nanoparticles 112, 189
Nanoscale particles 178
Narrow band limit 259
Neutron diffraction 347
Neutron reflectometry 337
Nickel 17
Nitridation 145
NMR - spin echo 125

0304-8853/00/$ - see front matter © 2000 Elsevier Science B.V. All rights reserved.
PII: S0304-8853(00)00029-9

Optical fiber 355
Optical method 355
Ordered magnetic moments 389
Orientation of particles 277

Palladium 211
Paramagnetic Curie temperature 381
Paramagnetic state 259
Patterned metallic thin films 40
Permalloy films 53
Permanent magnet 59
Perovskite structure 107
Perpendicular magnetic anisotropy L12
Perpendicular magnetic recording medium 293
Phase transformation 361
Photoemission 201
Pretreatment to surface of substrate 293
Propagation wall dynamics 101

Quadruolar interactions 125
Quantum antiferromagnet 251

Rare-earth intermetallic compounds 183
Rare-earth transition metal borides 195
Rare-earth trifluorides 381
Reflection 82
Relevant dimension 240
RHEED 91

SEMPA 91
Simulation 267
Singular point detection technique 183
Site occupancy 368
Spin glass L1
Spin reorientation 195
Spin ring 240
Spin-density-wave L1
Spin-dependent tunneling 75
Spin-polarization 201
Spin-reorientation transition L5
Split-band model 53
Sputtering 53
Squareness 277
Stoner–Wohlfarth particles 153
Structural units 389
Structure 307
Structure maps 389
Superparamagnetism 75, 153
Surface modification 121
Susceptibility 153
Synthesis 175

Temperature-dependent magnetic properties 17
Thermal magnetization reversal 29
Thickness dependence L12
Thin films L5, L12, 23, 59, 91, 293, 307, 323, 337
Third elements 53
Torque 195
Transmission 82

Uniaxial anisotropy 323

Vector magnetometry 323

XAFS 368
XPS 107